


**SIDE VIEW**



**TOP VIEW**

**MANUFACTURER'S RECOMMENDATIONS  
FOUNDATION RECOMMENDATIONS PER THE IBC2009,  
ASCE 7-05, AND BASED ON THE FOLLOWING ASSUMPTIONS:**

- EXPOSURE B
- 2,500 PSI CONCRETE
- 6" SCH40 STEEL PIPE
- 90 MPH MAXIMUM WIND SPEEDS
- SOIL TYPE 3
- SOIL IS UNDISTURBED AROUND FOOTINGS
- 45 DEGREE MAXIMUM TILT
- 25 PSF MAX. GROUND SNOW LOAD



**DIRECT POWER AND WATER**

4000 VASSAR DRIVE NE  
ALBUQUERQUE, NEW MEXICO 87107

TITLE TPM4-H-Canadian Solar CS6U-315-330P

|          |                               |          |      |   |            |
|----------|-------------------------------|----------|------|---|------------|
| CUSTOMER | ?                             | DRAWN BY | WEB  | DATE  | 2017-09-21 |
| PROJECT  | Solaris DPW Top of Pole Mount | ENGINEER | J.R. | THIS DRAWING IS THE PROPERTY OF PREFORMED LINE PRODUCTS AND CANNOT BE USED, COPIED OR DISCLOSED WITHOUT PERMISSION. DO NOT SCALE DRAWING. |            |